

فصل دوم



درس هشتم

Exclude درگاه شاپرک در GA۴

Exclude referral traffic like shapar



MentorX

چرا باید درگاه «شاپرک» رو اسکلود کنیم؟

در سایت‌های فروشگاهی، وقتی یوزر به صفحه پرداخت می‌رسه و روی دکمه پرداخت سفارش می‌زنه، ریدایرکت میشه به صفحه درگاه بانکی مثل شاپرک، زرین پال یا ... بعد از اینکه مشخصات کارت رو وارد کرد و پرداختشو انجام داد، دوباره برمی‌گرده به سایت فروشگاه.

در چنین موقعی، ۲ تا یوزر در galf میفته با اینکه با یک یوزر طرف هستیم. چرا؟ چون ریدایرکت شده.

برای جلوگیری از این کار، باید شاپرک رو اسکلود کنیم. توی صفحات بعدی مرحله به مرحله با من پیش برید تا درگاه رو اسکلود کنید. خیلی راحتته (:



List unwanted referrals



List unwanted referrals

Specify domains whose traffic should not be considered to be referrals

این گزینه در GA۴ بهمون کمک میکنه تا ترافیک ریفرال مثل درگاه شاپرک، زرین پال و کلیه درگاههای پرداختی بانکی رو اکسکلود (Exclude) کنیم



مسیر دسترسی list unwanted referral برای اسکلود شاپرک

- ۱- Admin section -> data stream -> select web stream
- ۲- Select configure tag setting -> tap "show all"
- ۳- Select list unwanted referral
- ۴- Select match type "referral domain contains"
- ۵- Type "shaparak.ir" in Domain field
- ۶- Click Save



I- Admin section -> data stream -> select web stream

The screenshot shows the Google Analytics Admin interface for account 'ga-4'. The 'ADMIN' tab is active, and the 'Data Streams' menu item is highlighted with an orange arrow. The 'Data Streams' section is displayed, showing a table with columns for platform (All, iOS, Android, Web) and a description. A blue 'Add stream' button is highlighted with an orange arrow. A gear icon in the bottom left corner is also highlighted with an orange arrow.

All	iOS	Android	Web	
				Receiving traffic in past 48 hours. >



۲- Select configure tag setting -> tap "show all"

Automatically measure interactions and content on your sites in addition to standard page view measurement. Data from on-page elements such as links and embedded videos may be collected with relevant events. You must ensure that no personally-identifiable information will be sent to Google. [Learn more](#)

Measuring: Page views Scrolls Outbound clicks + 3 more

Modify events
Modify incoming events and parameters. [Learn more](#) >

Create custom events
Create new events from existing events. [Learn more](#) >

Measurement Protocol API secrets
Create an API secret to enable additional events to be sent into this stream through the Measurement Protocol. [Learn more](#) >

Google tag

Configure tag settings [Learn more](#) >

Manage connected site tags 1 connected >
Load tags for additional properties or products using this stream's on-page Google tag. [Learn more](#)

View tag instructions ✓ Data flowing >
Get instructions for how to implement your Google tag for this data stream. [Learn more](#)



μ- Select list unwanted referral

Google tag | Untitled tag
G-BF89DQB23E

Configuration | History | Admin

Some tag settings apply only to specific destinations [Show less](#)

- Manage automatic event detection**
Configure which types of events your Google tag should automatically detect for measurement in associated destinations
- Configure your domains**
Specify a list of domains for cross-domain measurement
- Allow user-provided data capabilities**
Configure whether your Google tag should allow user-provided data to be included in measurement for destination products that accept such data.
- Collect Universal Analytics events**
Collect an event each time a ga() custom event, timing, or exception call from Universal Analytics occurs on your website
- Define internal traffic**
Define IP addresses whose traffic should be marked as internal
- List unwanted referrals**
Specify domains whose traffic should not be considered to be referrals
- Adjust session timeout**
Set how long sessions can last
- Override cookie settings**
Change how long cookies last and how they are updated



۴-۶

۴- Select match type "referral domain contains"

۵- Type "shaparak.ir" in Domain field

۶- Click Save

Configuration

Ignore referrals that match ANY of the following conditions as traffic sources

Match type: Referral domain contains

Domain: shaparak.ir

[Add condition](#)

Append the parameter "ignore_referrer" to the traffic identified by the conditions below. [Learn more](#)

Save

با انتخاب این شرط، هر ساب دومینی هم که متعلق به درگاه شاپرک باشه، اکسکلود میشه



جهت یادآوری

- برای داشتن دیتای تمیز باید درگاه‌های پرداختی رو اکسلود کنیم: زرین پال، شاپرک و ...
- سایت خودمون و سایتی که روش کارای مدیریت پسورد و ... رو هم انجام میدیم، با همین روش میتونیم اکسلود کنیم. یعنی دامنه رو بزنیم تا اکسلود بشه.
- بعد از ثبت اکسلود ریفرال، هر ایونتی که شرط لازم رو داره، اکسلود میشه



MentorX



تمرین

- در صورتی که سایتتون به درگاه پرداخت شاپرک و ... ریدایرکت میشه، درگاه پرداختی رو اسکلود ریفرال کنید